

City of Troy Fire Department



2025 Annual Report





City of Troy Fire Department 2025 Annual Report: Table of Contents

ANNUAL LETTER FROM CHIEF SIMMONS	4
ORGANIZATIONAL CHART	5
BUDGET	6
FIRE DEPARTMENT STATISTICS	7
SIGNIFICANT INCIDENTS	9
COMMUNITY OUTREACH	13
TRAINING REPORT	16
DISTRICT MAP	22
STATIONS & APPARATUS	23

City of Troy Fire Department 2025 Annual Report: Letter from the Chief

I am pleased to present the 2025 Troy Fire Department annual report. It is my privilege to highlight our achievements over the past year with Mayor Robin I. Oda, her staff, City Council members, and the citizens of Troy. Your support allows us to serve and protect this community. It remains a privilege to lead an organization so vital to the well-being of our community, and I have the utmost faith in the dedicated men and women who make up the Troy Fire Department.



As we look to 2026, we look forward to continuing to meet the challenges that lie ahead. With the continued backing of our elected officials and city leaders, we stand ready to meet any challenges that may arise. With the community's support, we will continue working to make our city safer for all who live, work, and visit here.

Sincerely,

Matthew D. Simmons

Matthew D. Simmons


City of Troy Fire Department

2025 Annual Report:

Organizational Chart




"Exceeding The Expectations of
Our Community"



City of Troy Fire Department 2025 Annual Report: 2025 Budget

2025 City of Troy Approved Budget		
	Approved	Total
City of Troy Budget	\$92,288,924.46	100%
Troy Fire Department	\$7,116,283.29	8%
All Other Departments	\$85,172,641.17	92%

2025 City of Troy Approved Budget




City of Troy Fire Department

2025 Annual Report:

Fire Department Statistics

2025 Incident Report								
Incident Type	Troy	Concord	Staunton	Lost Creek	Mutual Aid	Other	Total	Incident %
Fires	44	14	9	0	9	0	76	1%
Overpressure Rupture, explosion, overhear - no fire	8	0	0	0	0	0	8	0%
Rescue & Emergency Medical Service	4255	558	151	52	69	63	5148	86%
Hazardous Condition (No Fire)	50	13	8	0	1	0	72	1%
Service Call	74	10	2	0	1	0	87	1%
Good Intent Call	282	44	16	8	84	0	434	7%
False Alarm & False Call	231	24	8	0	4	0	267	4%
Special Incident Type	4	0	1	0	0	0	5	0%
Totals	4948	663	195	60	168	63	6097	100%
Percentage of Jurisdiction Total	81%	11%	3%	1%	3%	1%		




City of Troy Fire Department

2025 Annual Report:

2025 Response Statistics

2025 Response Report				
Entity	EMS Responses	Fire Responses	Total	% of Total
Troy	4417	1221	5638	80%
Concord	599	249	848	11%
Staunton	174	87	261	4%
Lost Creek	59	3	62	1%
Mutual Aid	115	86	201	3%
Other	63	12	75	1%
Total	5427	1658	7085	100%



Overview of Fire Department Responses						
Year	2020	2021	2022	2023	2024	2025
Fire	1989	1752	1823	1553	1699	1658
Medic	4673	5215	5328	4789	5097	5427
Total	6662	6967	7151	6342	6796	7085



City of Troy Fire Department

2025 Annual Report:

2025 Significant Incidents



City of Troy Fire Department

2025 Annual Report:

2025 Significant Incidents

January 4, 2025
1057 E Main St

05:25 Hrs.
Loss \$45,000

#25TRF0050
Fire Cause: Electrical Wiring

E-11, E-12, L-13, and M-11 responded to smoke in a large two-story historic residence and found smoke coming from attic vents with no visible exterior fire. Occupants had safely evacuated, including a wheelchair-bound resident. Firefighters deployed handlines to the second floor, knocked down the fire, and discovered it had extended from an upstairs wall into the attic, likely caused by faulty knob-and-tube wiring. Mutual aid assisted with overhaul, ventilation, and safety operations. Fire investigators, on shift, completed an on-scene investigation, overhaul was completed, and all crews returned to service.

January 16, 2025
1980 Polecat Rd

17:58 Hrs.
Loss \$43,000

#25TRF0252
Fire Cause: Electrical Wiring

E-11, E-12, T-11, and L-13 were dispatched to a two-story brick residence with heavy smoke and visible fire, prompting a second alarm and additional tanker resources. Engine 12 arrived first and began forcible entry and initial fire attack, with Engine 11 assuming command and water supply operations. Ladder 13 performed roof ventilation while mutual aid tankers and engines established a water shuttle. Interior crews encountered extreme heat, heavy smoke, and unsafe floor conditions, requiring repositioning and additional handlines. Improved ventilation allowed crews to re-enter from the rear, where a victim was located and rescued. The patient was transferred to mutual aid EMS care. The fire was brought under control, overhaul completed, utilities secured, and the scene turned over to the State Fire Marshals' office to assist in the investigation. C-12 was on the scene and assisted.

January 24, 2025
400 Trade Square E
Equipment

10:25 Hrs.
Loss \$50,000

#25TRF0366
Fire Cause: Arc Welding

E-11, E-12, and L-13 responded to a fire at a commercial welding plant and found an active fire in an exterior filtration unit with smoke entering the building. Engine 11 established command, used extinguishers and a 1¾-inch handline to suppress the fire, and secured a water supply. The incident was upgraded to a working structure fire with mutual aid requested. Crews checked for fire extension inside the building and on the roof, finding only residual smoke. The fire was extinguished, the overhaul completed, and all units returned to service. Administrative staff assisted personnel with operations.

City of Troy Fire Department

2025 Annual Report:

2025 Significant Incidents

February 5, 2025
27 Westbrook Ln.

08:21 Hrs.
Loss \$225,000

#25TRF0560
Fire Cause: Smoking/Oxygen

E-11 and E-12 responded to a working structure fire in a single-story ranch-style home, with victims in the residence. M-11 and M-13 responded directly from medical calls to assist. Troy Police Dept crews arrived on the scene and quickly removed the lone victim to the front porch in a wheelchair. The crews quickly made entry through the front door, searching the structure, and found no other victims. Additional crews extinguished the fire and overhauled the structure to check for any fire extension. The fire was determined to have been caused by an occupant smoking while using oxygen. C-11, C-12, and C-15 provided additional assistance at the scene. The Ohio Fire Marshals' office assisted with the fatality investigation.

March 17, 2025
414 E Canal St

23:19 Hrs.
Loss \$32,500

#25TRF1283
Fire Cause: Electrical Wiring

E-11, E-12, L-13, and M-11 responded to a chimney fire at a two-story residence and found active fire in and around a gas fireplace with extension into the basement. The incident was upgraded to a structure fire. Fire extinguishers and a 1.75-inch handline were used to control and extinguish the fire. Utilities were secured, ventilation was performed, and crews completed the overhaul using thermal imaging and gas monitoring. The residence was secured prior to clearing the scene. C-11 provided assistance to on-scene crews.

March 20, 2025
1018 Wheeler St.

10:07 Hrs.
Loss \$135,000

#25TRF1797
Fire Cause: Undetermined

E-11, L-13, and M-12 responded to a working two-story residential structure fire with heavy fire showing on the A and B sides and smoke from all divisions. PC-13 requested a second alarm and deployed an initial attack line while crews completed a 360 and confirmed no occupants were inside. Fire attack was initiated, basement and utility hazards were identified, and utilities were secured while additional crews and a water supply were established. During interior operations on Division 2, deteriorating conditions and exterior downed power lines created a hazardous environment. Multiple firefighters were rescued via ground ladders following an emergency evacuation order during interior operations. Command transitioned to defensive operations, with master streams and exterior handlines deployed. Three firefighters were transported for evaluation, and the State Fire Marshal was requested to investigate.

City of Troy Fire Department

2025 Annual Report:

2025 Significant Incidents

April 22, 2025
1301 Trade Square W.

12:21 Hrs.
Loss \$80,000

#25TRF1827
Fire Cause: Electrical

E-11, E-12, and L-13 were dispatched to a three-story apartment fire with flames visible and immediately upgraded to a second alarm. Firefighters found heavy fire on the third floor and conducted searches that confirmed no occupants were inside. An exterior attack was initiated, followed by interior operations to check for fire extension. Mutual aid agencies assisted with searches, ventilation, and safety operations while utilities were secured. Red Cross and fire investigators responded, the final overhaul was completed, and displaced tenants were assisted before crews were released. C-11, C-12, C-15, and C-16 provided assistance and investigated the cause of the incident.

July 24, 2025
96 Cloverleaf Dr.

14:15 Hrs.
Loss \$52,500

#25TRF3440
Fire Cause: Electrical

E-11, T-11, L-13, and M-11 responded to a reported structure fire with an initially trapped occupant who was later confirmed to be out of the building with burn injuries. Fire was found in a single-story multi-dwelling unit, with flames visible from the rear door and side window. Firefighters made entry through the rear, extinguished the fire, and ventilated the structure while water supply and utilities were secured. Mutual aid assisted with suppression, searches, and medical care. Minimal fire extension was found. Investigators completed an on-site investigation, and one injured occupant was transported. The scene was then returned to the property owners. C-10, C-11, L-14, and C-15 assisted with operations and the investigation of the incident.

December 14, 2025
356 Peterson Rd.

10:56 Hrs.
Loss \$60,000

#25TRF5777
Fire Cause: Unattended Candle

E-11, E-12, L-13, and M-11 Crews were dispatched to a reported residential structure fire with smoke showing from a two-story home. The homeowner reported a fire in the dining room, likely caused by a candle left burning while they were away, which spread to the subfloor below. The dining room fire was quickly extinguished, and firefighters performed overhaul, ventilation, and checked for extension in the floor and basement, finding no further fire spread. Salvage operations were completed, debris removed, and the homeowner was not displaced. Fire investigation was completed, and all units returned to service. C-12 assisted in operations, and the investigation was completed by duty personnel.

*City of Troy Fire Department
2025 Annual Report:
Community Outreach Bureau*



City of Troy Fire Department 2025 Annual Report: Community Outreach Bureau Statistics

<u>Community Outreach</u>	<u>2025</u>
General Inspections	589
Re-Inspections	129
Plan Reviews	75
Fire Prevention Permits	71
Fire Investigations	13
Public Education Events	41
Attendance @ Public Education Events	5,430
CPR Course Attendance	104



Community Outreach

Quick Response Team

The Quick Response Team started as an effort to address the increase of opioid use and overdoses in our city. Collaboration with the city fire and police departments, and county mental health agencies allows our team to reach out to potential clients and connect people to services necessary for recovery.



Carbon Monoxide/ Smoke Detector Program

The Troy Fire Department provides home-owners with carbon monoxide/smoke detectors. Our firefighters will provide installation and safety education during their visit.

Call 937-339-3140
for an appointment.


CPR Classes

The Troy Fire Department provides CPR classes that are open to the community. This is a certified class for citizens, as well as our local businesses. CPR saves lives and we are honored to offer this training to those in the community. Please contact us for more information at 937-335-5678.



*City of Troy Fire Department
2025 Annual Report:
Training*

Training Report



City of Troy Fire Department 2025 Annual Report: Training Requirements

State Requirements

Ohio EMS is a division of the Ohio Department of Public Safety. Ohio EMS governs the requirements and certifications for emergency workers. In order to maintain our certifications as Firefighter Level 2, Paramedic, and Fire Safety Inspector. Ohio EMS requires the following CEU's every three years:

Firefighter 2 - 36 Hours

Paramedic - 75 Hours

Fire Safety Inspector - 24 Hours



We also meet the requirements for the Greater Miami Valley EMS Council (GMVEMSC) and test each year to operate within regional protocols.



NFPA 1001

NFPA (National Fire Protection Agency) provides guides and standards for the fire industry. One of these includes NFPA 1001, which is the standard that lays out qualifications and training requirements for professional firefighters. This is also the standard ISO utilizes in its criteria for rating a training program. We now follow NFPA 1001 standards and its job performance requirements (JPRs) for firefighters.


Apprenticeship Program and Paramedic Students

The TFD Apprenticeship Program and EMT's in paramedic school, fall under the direction and supervision of the Training Division. The Training Division assures students are provided with a good training experience; as well as, successfully complete the programs with satisfactory grades. We are thankful for our partnerships with Edison Community College and the Ohio Fire Academy.




*City of Troy Fire Department
2025 Annual Report:
Training*

**2025
Statistics**




2025 Training Statistics

TFD Average Monthly Training Hours Per Member





2025 Training Hours by Category





*City of Troy Fire Department
2025 Annual Report:
Training*


*2025
Training Highlights*



2025 Training Highlights



City of Troy Fire Department: District Map



Fire Station 11

Est. 2022- Station 11
110 E. Canal St.
Training Division



Station 11 Apparatus:

Medic-11, a 2023 Ford Ambulance,

Engine-11, a 2015 Ferrara Rescue Engine,

Tanker-11, a 2013 Pierce Tanker,

Ladder 11, a 1994, 100' Pierce Arrow Aerial



Fire Station 12

Est. 2008-Fire Station 12
1528 North Market Street
Administrative Headquarters



Station 12 Apparatus:

Engine-12, a 2020 Pierce Sabre,
Medic-12, a 2025 Ford Ambulance,
Miami County HazMat Response Unit, a 2005 EVI.

Fire Station 13

Est. 1995-Fire Station 13
40 South Stanfield Road
Community Outreach
Fire Inspection Division.



Station 13 Apparatus:

Ladder-13, a 2020 Pierce 75' Aerial,

Medic-13, a 2022 Ford F550

Grass-12, a 2004 Ford 4x4.

Medic- 15, a 2024 E250 Wheeled Coach Transit





